

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2049	(I/O or input/output or DQ\$2) near5 (repair\$3 or redundan\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 18:26
L3	388843	selector\$1 or multiplex?r\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 17:19
L4	804	2 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 17:18
L6	61352	"365"/\$7 and @ad<"20040331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 17:20
L7	389	4 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 17:22
L8	103976	odd and even	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 17:22
L9	110	7 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 18:25
L10	3	(I/O or input/output or DQ\$2) near10 (repair\$3 or redundan\$2) near10 skip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 18:32
L11	412	(repair\$3 or redundan\$2) near10 ("AND" or decod\$3) near10 ("OR" or carry\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 18:34

L12	113	6 and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 18:33
L13	3	(repair\$3 or redundan\$2) near10 ("AND" or decod\$3) near10 ("OR" or carry\$3) near10 (separat\$3 or indepedent\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 18:41
L14	9	(repair\$3 or redundan\$2) with ("AND" or decod\$3) with ("OR" or carry\$3) with (separat\$3 or indepedent\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 18:49
L15	111	(repair\$3 or redundan\$2) same ("AND" or decod\$3) same ("OR" or carry\$3) same (separat\$3 or indepedent\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 18:50
L16	22	6 and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 19:04
L17	2	("6584023").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 19:04